

10.07. Diagnoses

The **Diagnoses** functionality allows you to quickly save a diagnosis on a patient's prescription.

Viewing and Adding Diagnoses

Select the **Diagnoses** icon from the **Special** tab on the mSupply navigator window.




This will open the **Show diagnoses** window with a list of all diagnoses.

- The list will initially be ordered by date created. However, the list can be sorted by the ICD code or ICD description by clicking on the respective column header.
- You can use the search box to search for a diagnoses using either an ICD code or the ICD description.




Standard mSupply search functionality applies when searching for diagnoses.



The list can be filtered using the **Show** drop-down box on the top right of the window:

- **All**: active and inactive diagnoses.
- **Active**: diagnoses that have not yet reached their specified valid till date.
- **Inactive**: diagnoses that have passed their specified valid till date. Inactive diagnoses will not appear in other windows, and cannot be saved to a patient prescription.

Click on the **New diagnosis** button on the top-left of the window to add a new diagnosis. This window will open:



Enter the **ICD Code** and **Description**. Please note:

- Both code and description boxes are mandatory.
- mSupply does not check the data entry in these boxes. Please double-check that you have entered the information correctly.

Enter the **Valid till** date. You can use the date selection tool by clicking on the calendar to the right of the box.

- The date entered determines how long the diagnosis will remain active. After this date the diagnosis will be automatically made inactive.
- The valid till field is non-mandatory. Leaving this field blank results in the code remaining permanently active.

Diagnoses on Prescriptions

You must first turn on the *Allow users to choose diagnoses on prescriptions* store preference to allow diagnosis selection on prescriptions. See the [25.08. Virtual stores](#) page for details.

When this preference is turned on, when you create a new prescription you will be able to select a diagnosis using a drop-down list. The drop-down list will display and allow selection of any active diagnosis:

The screenshot shows the 'Prescription Entry' window. At the top, there are fields for Patient details (Name, Date of birth, Gender), Prescriber (Search Prescriber, Code), and Prescription date (27/11/20). A red box highlights the 'Diagnosis: None' dropdown menu. Below this, there are buttons for 'New line', 'Delete line(s)', 'Backorders', 'History', and 'Repeats'. The main area is a table with columns: Line, Location, Item Name, Quan, Pa..., Batch, Exp date, Sell Price, and Price exten. At the bottom, there are fields for Item, Amount (0.00), and a summary of totals: Subtotal: 0.00, 0% tax: 0.00, 0% discount: 0.00, Total: 0.00, and Amount Outstanding: 0.00. There are also buttons for 'New note', 'Delete note', 'Finalise', 'Export batch: 0', 'Status: mw', 'OK & Next', 'Delete', and 'OK'.

The diagnosis selected will be saved against the prescription together with all other information provided in the Prescription entry window.

Previous: [10.06. Abbreviations for dispensing](#) | Next: [10.08. Label printing preferences](#)

From:

<https://docs.msupply.org.nz/docs/> - **mSupply documentation wiki**

Permanent link:

<https://docs.msupply.org.nz/docs/dispensing:diagnoses?rev=1619429159>

Last update: **2021/04/26 09:25**

