

public(about):start(page)

- 1. About mSupply
 - 1.01. Introduction
 - 1.05. Terms, definitions and conventions used in this user guide
 - 1.04. Which combination of mSupply products best suits your organisation?
 - 1.03. Who uses mSupply?
 - 1.02. Why mSupply?
- 25. Technical Administration
 - 25.07. Updating mSupply
 - 25.06. Backup
 - 25.14. mSupply deployment
 - 25.09. Diagnostics
 - 25.12. mSupply dispensary installation
 - 25.10. Finalising transactions
 - 25.11. Managing data files
 - 25.15. Managing users
 - 25.18. Label printer hardware setup
 - 25.17. License management
 - 25.04. Schedules and periods
 - 25.13. mSupply server administration
 - 25.02. mSupply client / server installation part 2
 - 25.03. mSupply client / server installation part 3
 - 25.01. mSupply client / server installation part 1
 - 25.20. Server troubleshooting
 - 25.16. Show connected users
 - 25.22. Field descriptions
 - 25.19. The system log
 - 25.21. Help menu
 - 25.08. Changing users and passwords
 - 25.05. Web browser access via TSPlus
- 21. Assets
 - 21.02. Asset management
 - 21.01. Assets setup
- 15. Barcode Scanning
 - 15.02. Adding barcodes to items
 - 15.06. Barcode label printing
 - 15.07. Barcode scanning and prescriptions
 - 15.08. Barcode scanning with handheld computers (The Zapp App)
 - 15.01. Barcode scanning
 - 15.05. Barcode scanning and pick list checking
 - 15.03. Barcode scanning and receiving goods
 - 15.04. Barcode scanning and stocktaking
- 31. Client specific pages
 - afghanistan
 - axios
 - caipa
 - cambodia
 - colombia
 - cookislands

- [cotedivoire](#)
- [djibouti](#)
- [drcongo](#)
- [east_timor](#)
- [fiji](#)
- [haiti_chemonics](#)
- [laos](#)
- [liberia](#)
- [myanmar](#)
- [ncctrc](#)
- [niger](#)
- [nigeria_drf](#)
- [nigeria_kaduna](#)
- [png](#)
- [samoa](#)
- [solomons](#)
- [southsudan](#)
- [tonga](#)
- [uk_med](#)
- [unfpa](#)
- [zanzibar](#)
- [20. Cold Chain Equipment](#)
 - [20.03. Cold Chain App Notifications](#)
 - [20.01. Vaccine Vial Monitoring \(VVM\)](#)
 - [20.04. Berlinger Fridge Tag and Q-Tag Integration](#)
 - [20.02. Configure VVM for a Mobile store](#)
- [10. Dispensing Goods](#)
 - [10.06. Abbreviations for dispensing](#)
 - [10.07. Diagnoses](#)
 - [10.01. Dispensary mode](#)
 - [10.04. Patient insurance](#)
 - [10.10. Patient medication records](#)
 - [10.12. Patient type and Ward setup](#)
 - [10.03. Patients](#)
 - [10.05. Prescribers / Clinicians](#)
 - [10.02. Prescription entry](#)
 - [10.11. Printer setup for Remote Desktop Client](#)
 - [10.08. Label printing preferences](#)
 - [10.09. Warnings](#)
- [28. Frequently Asked Questions](#)
 - [28.11. Benefits of a multi-store system](#)
 - [28.12. How to access Temp folder](#)
 - [28.07. How to correct wrong pack sizes](#)
 - [28.01. How to re-set the mSupply client](#)
 - [28.04. How to remove stock lines that have '0' available](#)
 - [28.08. How to report by invoice category](#)
 - [28.09. Imprest work flow](#)
 - [28.13. Fixing incorrectly received stock](#)
 - [28.02. Remote Support - Installing TeamViewer](#)
 - [28.14. Navigating inactive windows or form](#)
 - [28.10. Tips and tricks](#)

- 28.15. Wastage Prediction due to expiry when ordering
- 28.05. What do I need to set up mSupply Mobile?
- 28.03. Why is my stock balance report showing negative?
- 28.06. Why is my stock on hold?
- fr
 - about
- 27. Help
 - 27.03. Help > About mSupply
 - 27.01. Support and mSupply Up-to-Date program
 - 27.02. mSupply Support Web Portal
- 29. Hospital Info System (HIS) Module
 - 20.06. Encounters
 - 20.03. ICD disease codes
 - 20.01. Why a HIS module for mSupply?
 - 20.05. Patients
 - 20.09. HIS preferences
 - 20.04. Procedures
 - 20.02. Setting up wards and beds
 - 20.07. Other lists
 - 20.08. Statistics
- 17. Data Import and Export
 - 17.23. Exporting assets
 - 17.19. Exporting invoices
 - 17.15. Exporting items, exporting items and stock
 - 17.16. Exporting locations
 - 17.17. Exporting names
 - 17.18. Exporting records
 - 17.22. Exporting sites
 - 17.24. Exporting to the dashboard
 - 17.21. Exporting to MYOB
 - 17.05. Importing abbreviations
 - 17.02. Importing stock
 - 17.04. Importing prescribers
 - 17.08. Importing supplier invoices
 - 17.09. Importing assets
 - 17.06. Importing customer budgets
 - 17.01. Importing items
 - 17.07. Importing locations
 - 17.03. Importing names
 - 17.10. Importing regions
 - 17.11. Importing requisitions
 - 17.13. Importing stores
 - 17.12. Importing supplier quotes into Tenders
 - 17.14. Importing tenders
 - 17.20. Exporting invoices to Moneyworks
- 23. Integration with other systems
 - 23.01. DHIS2 integration
 - 23.02. DHIS2 LMIS integration
 - 23.04. mSupply eLMIS interface
 - 23.03. FrontlineSMS integration
 - 23.08. HL7 and Tamanu/Patis Plus integration

- 23.09. iVEDiX integration
- 23.05. Moneyworks integration
- 23.06. MYOB
- 23.07. NHLMIS integration
- 23.10. Siglofa integration
- 8. Issuing Goods
 - 8.06. Box management
 - 8.08. Customer budgets
 - 8.04. Electronic invoices
 - 8.01. Issuing goods to a customer (customer invoices)
 - 8.03. Backorders
 - 8.07. Stock control methods for your customers (requisitions)
 - 8.05. Transferring goods to another store
 - 8.02. Viewing customer invoices
- 4. Items
 - 4.01. About items
 - 4.09. Ad hoc items
 - 4.02. Adding a new item
 - 4.12. Managing item access with Departments
 - 4.11. Managing drug interaction groups
 - 4.21. Forecasting
 - 4.19. Inventory adjustments
 - 4.03. Item categories
 - 4.06. Stock locations and location types
 - 4.20. Units
 - 4.07. Building (manufacturing) items
 - 4.04. Item master lists
 - 4.08. Merging two items
 - 4.10. Non-stock items
 - 4.18. Phased stocktakes
 - 4.13. Prices in mSupply
 - 4.05. Programs
 - 4.14. Repacking items
 - 4.22. Pickfaces and Replenishments setup
 - 4.23. Pickfaces and Replenishments
 - 4.15. Show items with stock
 - 4.16. Splitting a stock line
 - 4.17. Stocktakes
- misc:start
 - contents
 - headings
- 22. mSupply Mobile (Android)
 - 22.02. mSupply Mobile technical instructions for setup
 - 22.03. mSupply configuration for mobile
 - 22.01. mSupply Mobile user guide
- 5. Customers and Suppliers
 - 5.01. Names: using, adding and editing
 - 5.06. Suppliers: adding and viewing
 - 5.02. Contacts
 - 5.03. Merging two names
 - 5.04. Name categories

- 5.05. Name tags
- 14. Notifications
 - 14.01. Notifications (Alerts)
- 26. Other Topics
 - 26.04. Budgets
 - 26.08. Bulk Store Preferences Editor
 - 26.10. Currencies
 - 26.09. Custom data
 - 26.20. Document registry
 - 26.05. Edit menu
 - 26.11. Using foreign currencies in transactions
 - 26.14. Authorisation
 - 26.17. Keyboard shortcuts
 - 26.19. Migrating to Open mSupply
 - 26.16. Misc labels
 - 26.01. Miscellaneous topics
 - 26.12. Product (drug) registration
 - 26.02. Reminders
 - 26.15. Remote authorisation
 - 26.18. Troubleshooting
 - 26.06. Transaction categories
 - 26.03. Transaction Status & Type Codes
 - 26.13. Using the mSupply remote client
 - 26.07. Virtual stores
- 11. Payments and Receipts
 - 11.01. Payments to suppliers
 - 11.04. Cash register
 - 11.03. Prescription payments and credits
 - 11.02. Receiving payment from customers
- playground
- 16. Preferences
 - 16.09. Barcode scanning preferences
 - 16.11. Custom fields
 - 16.05. Mobile Dashboard set up (before v4.0)
 - 16.08. FrontlineSMS
 - 16.01. General preferences
 - 16.03. Invoice preferences
 - 16.06. Entering a new logo
 - 16.10. Options (standard reasons)
 - 16.04. Printing preferences
 - 16.02. Purchase order preferences
 - 16.07. Synchronisation preferences
- 6. Purchasing
 - 6.02. Managing purchase orders
 - 6.04. Ordering from one store to another (internal orders)
 - 6.01. Ordering stock from suppliers
 - 6.05. Multi-store Purchase Orders
 - 6.03. Purchase order categories
- 7. Receiving Goods
 - 7.05. Custom stock fields
 - 7.06. Managing donors

- 7.03. Editing pack sizes
- 7.02. Goods receipts
- 7.04. Managing outstanding purchase order lines (pipeline stock)
- 7.01. Supplier invoices
- 13. Reports
 - 13.10. ATC and DDD code based reports
 - 13.14. Custom reports
 - 13.09. Customer ordered shortfall report
 - 13.08. Dashboard
 - 13.07. Dispensary/prescription reports
 - 13.01. Report basics
 - 13.02. Stock and items reports
 - 13.12. Manage reports
 - 13.11. Other reports
 - 13.15. SuperReport editor
 - 13.04. Purchasing reports
 - 13.13. Saving report templates
 - 13.06. Requisition reports
 - 13.05. Stocktake reports
 - 13.03. Transaction reports
- 9. Returning Goods
 - 9.02. Receiving goods back from a customer
 - 9.01. Return goods to a supplier
- 2. Setting Up mSupply: Technical Guide
 - 2.04. Client/Server FAQ
 - 2.02. Installation
 - 2.01. Requirements
 - 2.03. Starting mSupply for the first time
- 12. mSupply Link (Supplier Hub)
 - 12.01. Configuring the mSupply Link
 - 12.02. Ordering Process with mSupply Link
 - 12.04. Receiving goods
 - 12.03. Supplying a mSupply Link site
- 29. Synchronisation
 - 29.01. Introduction to Synchronisation
 - 29.04. Sync Site Export
 - 29.05. Sync Site Import
 - 29.03. Sync Site Wizard (Superseded)
 - 29.02. Synchronisation Sites
- 24. Data Tables and Fields
 - 24.01. Main tables
 - 24.02. Other tables
 - 24.03. Foreign keys
 - 24.04. Internal tables
- 18. Tenders
 - 18.06. Benchmark prices for tenders
 - 18.03. Adding suppliers to a tender and inviting responses
 - 18.07. Analysing supplier responses and creating purchase orders
 - 18.08. Tender currencies
 - 18.01. Introduction to tender management
 - 18.04. Adding supplier responses to a tender

- 18.05. Tender reference documents
- 18.02. Standard tender conditions
- 18.11. Supplier instructions for submitting tender responses via Excel
- 18.09. Supplier instructions for using tender submission web interface
- 18.10. Using web tenders
- 30. Tips and Tricks
 - 30.1. Customising Item Lists
 - 30.1. (version française): Personnaliser la Liste d'Articles
 - 30.2. (version française): Allouer une commande avec le bouton magique
 - 30.3. (version française) Rappels
 - 30.4. (version français) Raccourcis Clavier
 - 30.4. Keyboard shortcuts
 - 30.2. Allocating Stock to Placeholder lines - the Magic Button
 - 30.3. Reminders
- training
 - handouts
- 3. Tutorial
 - 3.05. Creating and viewing items
 - 3.06. Customers and suppliers
 - 3.01. The tutorial like no other
 - 3.08. Enter incoming goods (supplier invoices)
 - 3.07. Viewing Names in Google Maps
 - 3.02. Logging in
 - 3.04. Navigator
 - 3.03. Opening the example data file
 - 3.09. Enter outgoing goods (customer invoices)
 - 3.10. Entering quotations
 - 3.12. Where to now?
 - 3.11. Working with lists
- user
 - lou
- 19. Remote User Web Interface
 - 19.10. mSupply legacy REST APIs
 - 19.06. Mobile Dashboard set up (after v4.0)
 - 19.05. Web Dashboard
 - 19.04. mSupply customer web interface: guide for customers
 - 19.03. mSupply customer web interface
 - 19.07. Online catalogue
 - 19.09. mSupply REST API
 - 19.08. Stock web app
 - 19.11. mSupply sync API
 - 19.12. UNFPA LMA reports app
 - 19.02. mSupply web server
 - 19.01. Introduction to web interfaces
- wiki
 - ebook
- sidebar

From:

<https://docs.msupply.org.nz/docs/> - **mSupply documentation wiki**

Permanent link:

<https://docs.msupply.org.nz/docs/misc:headings?rev=1562299419>

Last update: **2019/07/05 04:03**

