

26.15. Remote authorisation

Function added in version 4.01, overhauled to current form in version 5.05

mSupply has features to allow various types of transactions to be authorised within the application before they affect stock so that supervisors can make sure the transactions are correct (see the [26.14. Authorisation](#) page for details).

Remote authorisation allows supervisors to authorise **Response requisitions** *via a web app*, so that they can participate in the authorisation process without having to login to mSupply. The process described below uses a supplier and customer store in the same mSupply installation but it can work with stores in different mSupply installations using [mSupply Link](#).



Only response requisitions (those made in response to request requisitions, called internal orders - see the [6.04. Ordering from one store to another](#) page for details, can be remotely authorised). Other requisition types or response requisitions made manually can **not** be remotely authorised.

When an authorisation request is made, authorisers receive an email containing a link to the web app. When the authoriser logs in, they are shown all pending authorisations which they can then do any of:

- Approve
- Edit and approve
- Deny

Authorisation by masterlist/vertical program

In the remote authorisation module authorisers can only authorise the requisition lines which belong to items on the master list they are able to authorise for.

A masterlist can be used to represent a vertical program so this method can also be thought of as authorisation by vertical program.

Authorisers can also be set up with **auto-authorisation**, where transactions will automatically be authorised if the user has not approved or denied the transaction before the set **auto-authorise period** has elapsed.


Setup

Turn on remote authorisation

For the store receiving requisitions that must be authorised

Remote authorisation must be turned on for **each store separately**. This means that, in the same datafile, some stores can use it while others do not. You turn it on for a store in the store's preferences:

1. Choose *Special > Show stores* from the menus.
2. Double click the store to edit.
3. Click on the **Preferences** tab.
4. Check the *Use remote authorisation for response requisitions* checkbox to turn remote authorisation on for that store.



5. Click the **OK** button to save the changes.

For the store placing a requisition that must be authorised

1. Choose *Special > Show stores* from the menus.
2. Double click the store to edit.
3. Click on the **Preferences** tab.
4. Check the *Include requisitions from this store in suppliers' remote authorisation processes* checkbox to turn remote authorisation on for that store.



5. Click the **OK** button to save the changes.

From now on, response requisitions produced from internal orders from this store must be authorised before being confirmed.

Set up authorisers


Set up the user accounts and details

All authorisers must have an account in mSupply. See the [25.15. Managing users](#) page for details about adding and editing users.

To allow a user to login to the remote authorisation web app as an authoriser you must check their *Use web authorisation system* checkbox on the *General* tab of their details window:





You must also enter their email address on the *Details* tab of their details window:



The screenshot shows the 'Edit user' window for user 'Sussol'. The 'Details' tab is selected. The 'Email' field is highlighted with a red box and contains the text 'here@there.com'. Other fields include 'Full name', 'Dates', and 'Contact details'.

This will enable them to receive emails when a requisition is awaiting their approval.

The user must also be assigned to one store as a `default` login. This is needed for the login to the web portal to work.



The screenshot shows the 'Add new users' window. A table lists various stores with columns for 'Name', 'Is disabled', 'Default store', and 'Can login'. The 'Alan Jones Store' is selected as the default store. A warning icon is visible on the left side of the window.

Name	Is disabled	Default store	Can login
Alan Jones Store	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Angalica Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Antony Bandrass Concern	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Arsnal FC Health Post	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aston Martin Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Atlantic Casino Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Best Dispensary	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCN Bargram clinic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bill gates store	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Birendra Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Buhimham Palace Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camden Hospital	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camford health Centre	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camford Hospital	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camford Clinic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camila Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camper park Health Post	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camper park hospital	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Camper Park Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Canverse Health Post	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Canverse Hospital	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Canverse Store	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Assign the users as authorisers

After the user accounts have been setup, you can assign them as authorisers. To do this choose *Special > Show authorisers* from the menus. This window will open:

- **Authoriser:** Enter the name of the user here. Type the first few characters of their username and press the Tab key on the keyboard to select the user from a list of users with usernames that start with what you have typed.
- **Master list:** Enter the name of the master list containing the items that the user can authorise. The user will only be able to authorise lines on requisitions for items that appear on the list you select here.
- **Uses auto-authorisation:** If this is checked then, after the number of days set in the **Auto-authorisation period (days)** field, any requisition lines that are waiting for authorisation by this user will be automatically authorised.
 - **Auto-authorisation period (days):** The number of days after which any requisition lines waiting for authorisation by this user will be automatically authorised by the system.
- **Active:** This is checked by default. If this is checked then the user's assignment is active and they can act as an authoriser. If it is not checked then the user cannot act as an authoriser. This is useful when an authoriser is to be removed as an authoriser for a period of time and then added back in again e.g. when they go away on holiday.
- **Store approval:** This is not checked by default. If this is checked, you can set the rule to only need approval if the request comes from the stores checked in the list. If store approval and no masterlist is set, then all items for the requisition need approval. If masterlist and store approval are both set, then only require approval if from the requesting store and if the item is part of the masterlist. A request from facility (not a store) can also be included by adding a tag "remoteAuthorisation" in the name.

Click on the **OK** button to save the new assignment or the **Cancel** button to cancel it.

Editing an authoriser assignment: Double-clicking one of the users in the list will allow you to edit the assignment; the 'Add assignment' window shown above will open, populated with the current settings for the user. Edit the settings to be what you wish and click on the **OK** button to save your changes..



There is a preference to allow authorising an item only once, even if it is part of two or more master lists. Pref > Misc > If an item belongs to multiple master lists and authorisers, only one authorisation is required.

Enable emailing of authorisers

When a requisition is created that requires one or more lines to be authorised, the appropriate authorisers are emailed to tell them that a requisition requires their attention in the authorisation web app.

To set up the emailing:

- Set up the email server in the preferences. This is done on the *Email* tab of *File > Preferences*. See the [15.01. General preferences](#) page for details on that.
- Tell mSupply what the URL of the remote authorisation web app is. You do that on the *Server* tab of *File > Preferences*. See the [15.01. General preferences](#) page for details.

The email address to send the emails to is taken from that given in the *Details* tab of the user's

details page (see the [Setup the user accounts and details](#) section above).

Using the remote authorisation system

Requesting authorisation


You do **not** need to request the authorisation of a requisition. When the remote authorisation system is turned on as described above, when a requisition that requires authorisation is **confirmed**, an authorisation request is automatically emailed to all active authorisers who are assigned to authorise a master list containing any of the items on the requisition.

The only types of requisition that can be authorised using remote authorisation are response requisitions created automatically in the supplying store in response to an internal order (internal orders are also called request requisitions). See the [6.04. Ordering from one store to another](#) page for details on internal orders.

To action an authorisation request they have received by email, an authoriser logs into the remote authorisation web app.

The authorisation statuses of requisitions

When the remote authorisation system is turned on, the list of customer requisitions, displayed by choosing Customer > Show requisitions from the menus, has an extra *Authorisation status* column and some additional filter options:




If you open a response requisition when the remote authorisation system is turned on, you will see the requisition's authorisation status and two additional columns:

- **Approved quantity:** the quantity that was approved by the authoriser. The authoriser can change the quantity allowed on the requisition so the approved quantity might be different from


the requested or calculated quantites.

- **Authoriser comment:** any comment that the authoriser added to the requisition line.

This screenshot shows where you can find them:



There is also an additional Authorisation tab on these requisitions, which shows the authorisation history of the requisition:




This particular screenshot shows that two authorisers have been requested to authorise lines on this requisition.

The authorisation status can have a few different values:

- **None:** the requisition does not need authorisation and is not subject to the remote authorisation system. This is true for all manually created response requisitions and any requisitions of other types (customer stock history, imprest or request). All requisitions with this status can be edited normally and customer invoices can be created from them as normal.
- **Pending:** the requisition is awaiting authorisation of one or more of its lines. A requisition with this status cannot be edited and you cannot create customer invoices from it.
- **Authorised:** all lines that were waiting for authorisation have been authorised (with or without adjustments). The comments and quantity to supply can be edited and customer invoices can be created from requisitions that are authorised.
- **Denied:** the authoriser has reviewed the requisition and the lines have all been denied. Like the *Pending* status, a requisition with this status cannot be edited and you cannot create customer invoices from it.


Authorising using the web app

When an internal order is finalised and contains items in master lists that are assigned to users for authorisation then an email is sent to all the users who are set as authorisers for those items. The email looks like this:



The link in the email is to the web app they need to log in to action the authorisation request. The URL is in the format **server:port/authorisation**; for example, <https://demo.msupply.org:2048/authorisation>.

When they click on the link (or paste it into their browser), authorisers are shown the login page where they login using their mSupply username and password:



Once logged in, the authoriser can see all pending (and previous) authorisation requests.

The image shows the dashboard of the mSupply Authorisation system. At the top left, it says "mSupply Authorisation". At the top right, the user's name "Jane Smith" is displayed next to a "LOGOUT" button. Below this is a table with the following columns: Invoice Number, Master List, Store, Receiving Party, Status, and Status Date. The table contains two rows of data.

Invoice Number	Master List	Store	Receiving Party	Status	Status Date
1544	LAB	Central Medical Store	Laboratory Store	Pending	06/10/21, 12:49:47
1543	LAB	Central Medical Store	Laboratory Store	Authorised by another authoriser	04/10/21, 08:35:05

Note that only requisitions with a status of *Pending* are editable in the web app. Any other status means that the requisition has already been processed, either by you, another authoriser or automatically by the system if the auto-authorise period for an authoriser has passed, and it is no longer editable.

To finish the authorising session and logout, click on the **Logout** button. This will log the user out and return them to the login window.

To view a requisition, click on it in the list. The requisition details window will open:

The image shows the details window for a requisition in the mSupply Authorisation system. At the top left, it says "mSupply Authorisation". At the top right, the user's name "Jane Smith" is displayed next to a "LOGOUT" button. Below this, there is a back arrow, the text "Invoice Number: 6", and a dropdown menu with a red box around it. To the right of the dropdown is a text input field labeled "Authorisation Comment". Below these are two toggle switches: "Enter quantity in: units" (which is turned on) and "For vaccine lines only show/enter: units" (which is turned off). The main part of the window is a table with the following columns: Line Number, Item Code, Item Name, Unit, Supplier SOH, Customer SOH, Suggested Quantity, Customer AMC, Request Comment, Default Pack Size, Customer Requested, Authoriser Quantity, and Authoriser Comment. The table contains two rows of data.

Line Number	Item Code	Item Name	Unit	Supplier SOH	Customer SOH	Suggested Quantity	Customer AMC	Request Comment	Default Pack Size	Customer Requested	Authoriser Quantity	Authoriser Comment
1	17795	Oxytocin 10iu/ml, 1ml Injection	amp	0	0	0	0		1	5	0	+
2	bcgv	BCG (Bacillus Calmette Guerin) Vaccine	Vial	0	0	0	0		1	10	0	+

At the bottom of the window, there are three buttons: "DENY", "SET AUTHORISER QUANTITY TO REQUESTED", and "APPROVE WITH CHANGES".

This is a simplified view to make reviewing easier. To see all the details of the requisition, click on the down arrow highlighted in red and more details will be shown like this:

The screenshot shows the 'mSupply Authorisation' interface. At the top right, the user 'Jane Smith' is logged in. A back arrow (1) is next to 'Invoice Number: 6'. An 'Authorisation Comment' field (2) is present. There are two sliders: 'Enter quantity in: units/packs' (3) and 'For vaccine lines only show/enter: units/doses'. A status summary shows: Status: Pending, Store: General warehouse, Receiving Party: Laboratory store, Master List: FCMS, Status Date: 2025-03-18, Comment: From request requisition 4. Below is a table with columns: Line Number, Item Code, Item Name, Unit, Supplier SOH, Customer SOH, Suggested Quantity, Customer AMC, Request Comment, Default Pack Size, Customer Requested, Authoriser Quantity, and Authoriser Comment. Two rows are visible: Line 1 (Oxytocin 10iu/ml, 1ml Injection) and Line 2 (BCG (Bacillus Calmette Guerin) Vaccine). At the bottom are buttons: DENY (6), SET AUTHORISER QUANTITY TO REQUESTED (7), and APPROVE WITH CHANGES (8). A plus icon (5) is next to the Authoriser Quantity column for Line 1.

Line Number	Item Code	Item Name	Unit	Supplier SOH	Customer SOH	Suggested Quantity	Customer AMC	Request Comment	Default Pack Size	Customer Requested	Authoriser Quantity	Authoriser Comment
1	17795	Oxytocin 10iu/ml, 1ml Injection	amp	0	0	0	0		1	5	0	
2	bcgv	BCG (Bacillus Calmette Guerin) Vaccine	Vial	0	0	0	0		1	10	0	

1. Click on this arrow to go back to the list of requisitions.
2. Enter any authorisation comment for the whole transaction. When saved, this comment will appear in the *Comment* column of the *Authorisation* tab on the requisition in mSupply.
3. Click on the **Enter quantity in** units/packs slider to choose whether you enter the *Authorised Quantity* column values in units or default pack size packs. The **For vaccine lines only show/enter** units/doses slider only shows if a vaccine item is on the requisition for approval. The position of this slider affects all vaccine item lines on the requisition **ONLY**. The units/packs side of the slider will show what is selected in the **Enter quantity in** slider. If the slider is in the *doses* position then all vaccine lines will show quantities in doses in the *Supplier SOH*, *Customer SOH*, *Suggested quantity*, *Customer AMC*, *Default pack size*, *Customer requested* and *Authoriser quantity* columns. If it is in the units/packs position then it will show units or packs in those columns, just the same as the non-vaccine lines.
4. Edit the quantities for each line that you are able to authorise in these cells. Note that not all lines of the requisition are displayed in this window. Only the lines that the user can authorise are shown (i.e. those that are for items that appear in the master list the user can authorise for). The quantities you enter in this column will be taken as units, packs or doses, depending on the positions of the sliders in 3.
5. Click on this icon to view, add or edit the line authorisation comment. When you click on it, this window will open:

The dialog box has a title 'View/Edit Comment'. Below the title is a horizontal line representing a text input field. At the bottom are two buttons: 'CANCEL' and 'SAVE COMMENT'.

If there is a comment for the line already, it will be populated for you. You can edit the comment (or add one) and click on the **Save comment** button to save your changes. Click on the **Cancel** button to close this small window without saving any changes. Any comment that is saved here will appear in the *Authoriser comment* column on the requisition details window in mSupply.

6. Click on this button to deny approval of all the requisition lines shown. This will deny the whole requisition and will mean that it cannot be processed in mSupply. This and the **Approve with changes** button will be disabled when the changes have been saved.

7. Click on this button to quickly set all the *Authoriser quantity* column values to what was requested i.e. the *Customer Requested* column values. A handy shortcut to speed up the authorisation process if all or most of the lines are to be approved with what was requested.
8. Click on this button to approve all the requisition lines shown. This will save any changes you have made to the approved quantities. This and the **Deny** button will be disabled when the changes have been saved.



If a requisition is open in mSupply, it is locked and changes cannot be saved. If you click on the **Approve with changes** or **Deny** buttons and the buttons do not become disabled then the changes were **NOT** saved. You will need to wait until the requisitions have been closed in mSupply before you can save your changes.

When a requisition has been approved or denied by an authoriser, its details and authorisation status will be updated in mSupply. If all the lines awaiting authorisation have been authorised then the requisitions's status will be updated to *Authorised* and the requisition will be able to be processed as normal.

Previous: [26.14. Authorisation](#) | | Next: [26.16. Misc labels](#)

From:
<https://docs.msupply.org.nz/docs/> - mSupply documentation wiki

Permanent link:
https://docs.msupply.org.nz/docs/other_stuff:remote_authorisation?rev=1759291750

Last update: 2025/10/01 04:09

