




Enter the abbreviation that you will type in the *Abbreviation* field and the text that it will be expanded to in the *Expansion* field. When you're done click on the **OK** button.


Do not use actual words in your abbreviation, or else attempting to type the word will result in the expanded text appearing on your label!

 Note: your abbreviations cannot contain the underscore (`_`), period (`.`) or comma (`,`) characters.

Any non-printable characters entered before or after the abbreviation will be removed. Any entered in the abbreviation will be replaced with an underscore (`_`).

Edit an abbreviation

To edit an abbreviation, double-click it in the list. A similar window to the add abbreviation window will open, pre-populated with the abbreviation's details:



Edit the abbreviation and expansion as required then click on the **OK** button to save it.


Delete an abbreviation

Select a single abbreviation in the list by clicking on it then click on the **Delete** button. You will be asked to confirm the deletion - if you do, it is deleted from the list.

Print a list of abbreviations


Click the *Report* button to construct a simple report listing all abbreviations. This report can be previewed or printed.

After clicking on the button, you will be shown the report editor window. In older versions of mSupply it looks like this:




1. Double-click on **Abbreviation**
2. Double-click on **Expansion**
3. Right-click on **Detail** and set font size to 8 or 9
4. You can use the lines on the column headers to adjust column width
5. Choose **File > Generate** to print the list

In newer versions of mSupply, the report editor will look like this:



Click on the **Fields** button and then double-click on *abbreviation* then *expansion* in the left hand *Available fields* section to move them to the *Report columns* section like this:



Click on the **OK** button then click on the **Execute** button to run the report and print it out.

Importing abbreviations

The procedure for importing a file containing your abbreviations is found [here](#).

Item default directions

Once you have entered abbreviations, don't forget to enter the default directions for all common items - the default directions are the abbreviations that are used by default for an item when it is

added to a prescription. Instructions are [here](#).

Previous: [10.05. Prescribers](#) | | Next: [10.07. Diagnoses](#)

From:

<https://docs.msupply.org.nz/docs/> - mSupply documentation wiki

Permanent link:

<https://docs.msupply.org.nz/docs/dispensing:abbreviations?rev=1620656869>

Last update: **2021/05/10 14:27**

